

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

before the last paragraph beginning with "This invention" insert the heading:

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

Brief Description of the Drawings

Page 3, before the first full paragraph beginning with "The interfacing module" insert the heading:

Detailed Description of the Invention

IN THE CLAIMS:

Please enter the following amended claims:

3. (Amended) Interfacing module according to claim 1, characterized in that said dedicated protocol is suitable for transmission over a distance of several hundred meters, preferably over 800 to 1200 m, depending on the type of the line.

4. (Amended) Interfacing module according to claim 1, characterized in that it comprises an internet protocol transceiver having approximately a plate or board like outside shape.

5. (Amended) Interfacing module according to claim 1, characterized in that it is connected to several telecommunication devices (1).

6. (Amended) Telecommunication device, in particular an internet protocol based telecommunication device, connected to a local area network via an adapted link, characterized in that it is composed of a telephone set (3) and an interfacing module (2) according to claim 1, said device (1) being able to work in two different physical configurations, i.e. a compact

[illegible]

IN THE ABSTRACT:

3

Table 1. Demographic characteristics of the study population	
Age (years)	Mean ± SD
18-24	20.5 ± 2.5
25-34	29.5 ± 3.5
35-44	39.5 ± 4.5
45-54	49.5 ± 5.5
55-64	59.5 ± 6.5
65-74	69.5 ± 7.5
75-84	79.5 ± 8.5
85-94	89.5 ± 9.5
95-104	99.5 ± 10.5
105-114	109.5 ± 11.5
115-124	119.5 ± 12.5
125-134	129.5 ± 13.5
135-144	139.5 ± 14.5
145-154	149.5 ± 15.5
155-164	159.5 ± 16.5
165-174	169.5 ± 17.5
175-184	179.5 ± 18.5
185-194	189.5 ± 19.5
195-204	199.5 ± 20.5
205-214	209.5 ± 21.5
215-224	219.5 ± 22.5
225-234	229.5 ± 23.5
235-244	239.5 ± 24.5
245-254	249.5 ± 25.5
255-264	259.5 ± 26.5
265-274	269.5 ± 27.5
275-284	279.5 ± 28.5
285-294	289.5 ± 29.5
295-304	299.5 ± 30.5
305-314	309.5 ± 31.5
315-324	319.5 ± 32.5
325-334	329.5 ± 33.5
335-344	339.5 ± 34.5
345-354	349.5 ± 35.5
355-364	359.5 ± 36.5
365-374	369.5 ± 37.5
375-384	379.5 ± 38.5
385-394	389.5 ± 39.5
395-404	399.5 ± 40.5
405-414	409.5 ± 41.5
415-424	419.5 ± 42.5
425-434	429.5 ± 43.5
435-444	439.5 ± 44.5
445-454	449.5 ± 45.5
455-464	459.5 ± 46.5
465-474	469.5 ± 47.5
475-484	479.5 ± 48.5
485-494	489.5 ± 49.5
495-504	499.5 ± 50.5
505-514	509.5 ± 51.5
515-524	519.5 ± 52.5
525-534	529.5 ± 53.5
535-544	539.5 ± 54.5
545-554	549.5 ± 55.5
555-564	559.5 ± 56.5
565-574	569.5 ± 57.5
575-584	579.5 ± 58.5
585-594	589.5 ± 59.5
595-604	599.5 ± 60.5
605-614	609.5 ± 61.5
615-624	619.5 ± 62.5
625-634	629.5 ± 63.5
635-644	639.5 ± 64.5
645-654	649.5 ± 65.5
655-664	659.5 ± 66.5
665-674	669.5 ± 67.5
675-684	679.5 ± 68.5
685-694	689.5 ± 69.5
695-704	699.5 ± 70.5
705-714	709.5 ± 71.5
715-724	719.5 ± 72.5
725-734	729.5 ± 73.5
735-744	739.5 ± 74.5
745-754	749.5 ± 75.5
755-764	759.5 ± 76.5
765-774	769.5 ± 77.5
775-784	779.5 ± 78.5
785-794	789.5 ± 79.5
795-804	799.5 ± 80.5
805-814	809.5 ± 81.5
815-824	819.5 ± 82.5
825-834	829.5 ± 83.5
835-844	839.5 ± 84.5
845-854	849.5 ± 85.5
855-864	859.5 ± 86.5
865-874	869.5 ± 87.5
875-884	879.5 ± 88.5
885-894	889.5 ± 89.5
895-904	899.5 ± 90.5
905-914	909.5 ± 91.5
915-924	919.5 ± 92.5
925-934	929.5 ± 93.5
935-944	939.5 ± 94.5
945-954	949.5 ± 95.5
955-964	959.5 ± 96.5
965-974	969.5 ± 97.5
975-984	979.5 ± 98.5
985-994	989.5 ± 99.5
995-1004	999.5 ± 100.5
1005-1014	1009.5 ± 101.5
1015-1024	1019.5 ± 102.5
1025-1034	1029.5 ± 103.5
1035-1044	1039.5 ± 104.5
1045-1054	1049.5 ± 105.5
1055-1064	1059.5 ± 106.5
1065-1074	1069.5 ± 107.5
1075-1084	1079.5 ± 108.5
1085-1094	1089.5 ± 109.5
1095-1104	1099.5 ±


Table 1. Demographic characteristics of the study population	
Age (years)	Mean ± SD
18-24	20.5 ± 2.5
25-34	29.5 ± 3.5
35-44	39.5 ± 4.5
45-54	49.5 ± 5.5
55-64	59.5 ± 6.5
65-74	69.5 ± 7.5
75-84	79.5 ± 8.5
85-94	89.5 ± 9.5
95-104	99.5 ± 10.5
105-114	109.5 ± 11.5
115-124	119.5 ± 12.5
125-134	129.5 ± 13.5
135-144	139.5 ± 14.5
145-154	149.5 ± 15.5
155-164	159.5 ± 16.5
165-174	169.5 ± 17.5
175-184	179.5 ± 18.5
185-194	189.5 ± 19.5
195-204	199.5 ± 20.5
205-214	209.5 ± 21.5
215-224	219.5 ± 22.5
225-234	229.5 ± 23.5
235-244	239.5 ± 24.5
245-254	249.5 ± 25.5
255-264	259.5 ± 26.5
265-274	269.5 ± 27.5
275-284	279.5 ± 28.5
285-294	289.5 ± 29.5
295-304	299.5 ± 30.5
305-314	309.5 ± 31.5
315-324	319.5 ± 32.5
325-334	329.5 ± 33.5
335-344	339.5 ± 34.5
345-354	349.5 ± 35.5
355-364	359.5 ± 36.5
365-374	369.5 ± 37.5
375-384	379.5 ± 38.5
385-394	389.5 ± 39.5
395-404	399.5 ± 40.5
405-414	409.5 ± 41.5
415-424	419.5 ± 42.5
425-434	429.5 ± 43.5
435-444	439.5 ± 44.5
445-454	449.5 ± 45.5
455-464	459.5 ± 46.5
465-474	469.5 ± 47.5
475-484	479.5 ± 48.5
485-494	489.5 ± 49.5
495-504	499.5 ± 50.5
505-514	509.5 ± 51.5
515-524	519.5 ± 52.5
525-534	529.5 ± 53.5
535-544	539.5 ± 54.5
545-554	549.5 ± 55.5
555-564	559.5 ± 56.5
565-574	569.5 ± 57.5
575-584	579.5 ± 58.5
585-594	589.5 ± 59.5
595-604	599.5 ± 60.5
605-614	609.5 ± 61.5
615-624	619.5 ± 62.5
625-634	629.5 ± 63.5
635-644	639.5 ± 64.5
645-654	649.5 ± 65.5
655-664	659.5 ± 66.5
665-674	669.5 ± 67.5
675-684	679.5 ± 68.5
685-694	689.5 ± 69.5
695-704	699.5 ± 70.5
705-714	709.5 ± 71.5
715-724	719.5 ± 72.5
725-734	729.5 ± 73.5
735-744	739.5 ± 74.5
745-754	749.5 ± 75.5
755-764	759.5 ± 76.5
765-774	769.5 ± 77.5
775-784	779.5 ± 78.5
785-794	789.5 ± 79.5
795-804	799.5 ± 80.5
805-814	809.5 ± 81.5
815-824	819.5 ± 82.5
825-834	829.5 ± 83.5
835-844	839.5 ± 84.5
845-854	849.5 ± 85.5
855-864	859.5 ± 86.5
865-874	869.5 ± 87.5
875-884	879.5 ± 88.5
885-894	889.5 ± 89.5
895-904	899.5 ± 90.5
905-914	909.5 ± 91.5
915-924	919.5 ± 92.5
925-934	929.5 ± 93.5
935-944	939.5 ± 94.5
945-954	949.5 ± 95.5
955-964	959.5 ± 96.5
965-974	969.5 ± 97.5
975-984	979.5 ± 98.5
985-994	989.5 ± 99.5
995-1004	999.5 ± 100.5
1005-1014	1009.5 ± 101.5
1015-1024	1019.5 ± 102.5
1025-1034	1029.5 ± 103.5
1035-1044	1039.5 ± 104.5
1045-1054	1049.5 ± 105.5
1055-1064	1059.5 ± 106.5
1065-1074	1069.5 ± 107.5
1075-1084	1079.5 ± 108.5
1085-1094	1089.5 ± 109.5
1095-1104	1099.5 ±

PRELIMINARY AMENDMENT
Attorney Docket Q64094

REMARKS

Entry and consideration of this Amendment is respectfully requested.

Respectfully submitted,


David J. Cushing
Registration No. 28,703

SUGHRUE, MION, ZINN,
MACPEAK & SEAS, PLLC
2100 Pennsylvania Avenue, N.W.
Washington, D.C. 20037-3213
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

Date: May 14, 2001

APPENDIX

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE SPECIFICATION:

The specification is changed as follows:

Page 1, before the first paragraph, delete the heading "SPECIFICATION" and insert the title:

**INTERFACE MODULE AND TELECOMMUNICATION DEVICE WITH A LONG
LINE CONNECTION POSSIBILITY TO A LAN, INCLUDING SUCH A MODULE**

after the title, insert the heading:

Background of the Invention

Page 2, before the second paragraph beginning with "The problem to be solved" insert the heading:

Summary of the Invention

before the last paragraph beginning with "This invention" insert the heading:

Brief Description of the Drawings

Page 3, before the first full paragraph beginning with "The interfacing module" insert the heading:

Detailed Description of the Invention

IN THE CLAIMS:

The claims are amended as follows:

IN THE ABSTRACT

The Abstract was changed as follows:

ABSTRACT

~~Interfacing module and telecommunication device
with a long line connection possibility to a LAN,
including such a module~~

~~The present invention concerns an interfacing module and a telecommunication device
with a long line connection possibility to a LAN including such a module.~~

~~An~~Interfacing interfacing module for coupling at least one telecommunication device to a
local area network LAN including such a module, wherein ~~said the~~ module (2) contains ~~means~~
~~for converting reciprocally~~a converter for reciprocally converting data from a LAN compatible
protocol into a dedicated protocol adapted for long distance line transmission and identical to, or
at least compatible with, the protocol used by the concerned telecommunication device(s) (1) ~~or~~
~~at least compatible with it.~~